



Quadrille 4701



Gambol
1003




Cabaret
1002



Fair
1001



Fiesta
1008




Zest
1007




Carnival
1009



Jubilee
1011



Spring
1006




Escapade
1016



Revelry
1015



Soiree
1014



Shenanigan
1017



Regalia
1005



Opus
1012



Masquerade
1013

duvalttex

Quadrille 4701

Specifications

Content	53% polyester 47% pre-consumer recycled polyester
Weight	12.1 ± 1.0 oz./lin. yd 274 g/m ² (± 5%)
Width	54" min. useable 137 cm min. useable
Repeat	none
Tackable	yes

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Miscellaneous

- Application testing of this product is recommended.
- Colors may vary between dye lots.
- This is a directional fabric.
- Tackable properties may vary depending on fabric structure and recovery characteristic

Performance

- Colorfastness to light (AATCC 16.3 Option 3)**
Grade 4 min. at 40 hours
- Colorfastness to crocking (AATCC 8)**
Grade 4 min. dry & Grade 3 min. wet
- Breaking Strength (ASTM D5034)**
245 lbf warp and 270 lbf fill
- Seam Slippage (ASTM D4034)**
70 lbf warp and 90 lbf fill
- Pilling Resistance (ASTM D3511)**
Class 4 min.
- Flammability**
CA Technical Bulletin 117-2013 Section 1
ASTM E84 Class I or A
EN 1021-1 Cigarette
A* EN 1021-2 Match
EN 13501-1 Adhered Class B, s1, d0
Flammability performance may vary depending on the substrate used.
- Abrasion (ASTM D4157)**
Wyzenbeek Abrasion Resistance (ASTM D4157)
100,000 double rubs min. cotton duck
Martindale Abrasion Resistance (ISO 12947-2)
50,000 cycles

Acoustical Performance

Our acoustic fabrics are all acoustically transparent. This represents the amount of sound that passes through the fabric.

Acoustic Transparency: 90%

For more detailed results, please consult our website.

This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

*Certification Marks owned by the Association for Contract Textiles, Inc.

USA & INTERNATIONAL | T 800-544-0200
CANADA | T 418 227-9897
For samples, visit [tex.com">duvalttex.com](http://duvalt<span style=)

duvalttex

