Biodegradable* Recycled Content Bleach Cleanable Panel | Acoustic

Courage

Conclude

1206

1201

Resolve 1301

Zeal†

1207

Fortitude

1205

		1207	1201
Clarify	Effect	Manage	Bold
1202	1203	1204	1199
Earnest	Decide	Plan	Explain
1194	1195	1198	1200

Attain

1197

†Suitable for printing

CLEAN IMPACT TEXTILES

Intention

1196

Resolve 1301



Specifications

Content 100% post-consumer recycled biodegradable* polyester		
Weight	16.1 ± 1.0 oz./lin. yd	
Width	Width 67" min. useable	
Repeat	32" vertical 12.7" horizontal	

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Bleach Cleanable - May be cleaned with a 10% bleach-to-water solution. Rinse well after cleaning. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Miscellaneous

- · Application testing of this product is recommended.
- · Colors may vary between dye lots.
- · This is a directional fabric.

Proudly woven in North America supporting our local communities.

Sustainability

BIODEGRADABLE* CLEAN IMPACT TEXTILES®

address the daunting problem of how to deal with polyester fabric at the end of its useful life.

Biodegradable* in landfill after 1,278 days (tested under ASTM D5511)

*Rate and extent of biodegradation into elements found in nature is 91% after 1,278 days under ASTM D5511 (Anaerobic Biodegradation of Plastic Materials Under High Solids Anaerobic Digestion Conditions). The test was done with the same component (PET) polyester and biocatalyst additive. No evidence of further degradation.

Performance



Colorfastness to light (AATCC 16.3 Option 3) Grade 4 min. at 40 hours



Colorfastness to crocking (AATCC 8) Grade 4 min. dry & Grade 3 min. wet



Breaking Strength (ASTM D5034) Breaking Strength (ASTM D5034)
315 lbf min. warp and 405 lbf min. fill



Flammability ASTM E84 Class I or A

Acoustical Performance

Our acoustic fabrics are all acoustically transparent. This represents the amount of sound that passes through the fabric.

Acoustic Transparency:

90%

For more detailed results, please consult our website.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

*Certification Marks owned by the Association for Contract Textiles, Inc.



