


ARTOFIX

INSTALLATION GUIDE CEILING SOLUTIONS



ACOUSTIC CLOUDS

* Model shown with Crystal Tiles. Actual product may differ.

ACOUSTIC CLOUDS

STEPS


NOTES

- This guide provides general information for the installation of Artofix clouds. Installation requirements may vary depending on building construction, ceiling conditions and applicable codes and regulations.
- Artofix products should be installed by a qualified professional.
- Inspect all products upon receipt.
- Use anchors specified for the installation surface and conditions.



REQUIRED TOOLS & HARDWARE (not included)


Suspension hardware available separately.




Measuring tape




Pencil



Cable cutter




Drill




Laser level




Level




X 4 Anchors specified
for installation
surface*



X 8 Aluminum
Compression
Sleeve*



C Aircraft cable
Ø 1/16"




ARTOFIX cloud
(shown with Crystal tiles)

*3 anchors and 6 aluminum compression sleeves are required for the hexagonal cloud with Topaz tiles.


STEPS

2 CLOUD POSITIONING



1. MEASURING THE CEILING

Measure the distance between anchor points on the cloud. Using a laser level or measuring tape, mark the length (A) and (B) on the ceiling at the desired position.




2. TAKE VERTICAL MEASUREMENTS

When determining the height of the cloud, include some distance between the cloud and the ceiling to allow the absorption of sound from both sides of the cloud.

Determine the length of cables (C) based on desired placement, add an extra length of ± 6 in. (152 mm) needed for adjustments. Cut with cable cutters.


STEPS

3 SUSPENSION




1. ANCHORS

Following industry regulations, install the required anchors (specific to the type of surface) to the ceiling.




2. ATTACH CABLE TO ANCHOR

Pass the cable through the eyelet of the anchor (A) on the ceiling and secure with an aluminum compression sleeve (B). Repeat this step for every anchor point.



3. ATTACH CABLE TO CLOUD

Pass the other end of the cable (C) through the hole in the bracket on the cloud. Secure the cable in place with an aluminum compression sleeve (B).



4. LEVEL THE CLOUD

Repeat step 5 with the other anchor points, using a level to ensure the cloud is level. Repeat this process when installing multiple units.


STEPS

NOTES

- For all ceiling obstructions, such as sprinklers, ventilation systems, etc., please refer to your local building code.
- For installations requiring seismic protection, please contact an engineer specialized in this field.



TIPS



MAINTENANCE

1. It is recommended to have clean, dry hands while handling the Artofix tiles.
2. Use only a clean, soft, lint-free cloth to lightly wipe dirt off the surface of acoustic tiles.
3. Use only a gentle soap and a bit of water on the surface for more stubborn stains.
4. Do not use solvent-based cleaners or any harsh chemicals, as they may permanently damage the ARTOFIX tiles.

To learn more about our products, visit our website www.duvaltex.com